

LAB FEDERAL ID#: ID00013	
DATE RECEIVED: 9/7/2016	DATE REPORTED BY LAB: 9/22/2016
COMPLIANCE SAMPLE: YES	REPLACEMENT SAMPLE: NO
SAMPLE TYPE:	
PWS #:	PWS NAME: PILOT ROCK SCHOOL DISTRICT
CONTACT NAME: TABLE ROCK ANALYTICAL LAB	CONTACT PHONE:



Anatek Labs, Inc.

1282 Alturas Drive
Moscow, ID 83843
(208) 883-2839
FAX 882-9246
moscov@anateklabs.com

504 E. Sprague Ste. D
Spokane, WA 99202
(509) 838-3999
FAX 838-4433
spokane@anateklabs.com

www.anateklabs.com

Lead Analysis Report

Lab Sample #	Sample Location	Collection Date / Time	Analyte	Result	Method	Analysis Date	Analyst	Qualifier
160907037-001	160901M1 / E-1 KINDERGARTEN CLASSROOM	9/1/2016 6:30 AM	Lead	0.00396	EPA 200.8	9/20/2016	HSW	
160907037-002	160901M2 / E-2 1ST GRADE	9/1/2016 6:30 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907037-003	160901M3 / E-3 WATER FOUNTAIN HEAD START	9/1/2016 6:31 AM	Lead	0.00148	EPA 200.8	9/20/2016	HSW	
160907037-004	160901M4 / E-4 HEAD START CLASSROOM	9/1/2016 6:31 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907037-005	160901M5 / E-5 FOUNTAIN CAFETERIA	9/1/2016 6:32 AM	Lead	0.00469	EPA 200.8	9/20/2016	HSW	
160907037-006	160901M6 / E-6 KITCHEN	9/1/2016 6:33 AM	Lead	0.00160	EPA 200.8	9/20/2016	HSW	
160907037-007	160901M7 / E-7 FOUNTAIN OUTSIDE 2ND	9/1/2016 6:33 AM	Lead	0.00145	EPA 200.8	9/20/2016	HSW	
160907037-008	160901M8 / E-8 STAFF ROOM	9/1/2016 6:34 AM	Lead	0.00182	EPA 200.8	9/20/2016	HSW	
160907037-009	160901M9 / E-9 FOUNTAIN ACROSS STAFF ROOM	9/1/2016 6:34 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907037-010	160901M10 / E-10 EMPTY CLASSROOM	9/1/2016 6:35 AM	Lead	0.00204	EPA 200.8	9/20/2016	HSW	
160907037-011	160901M11 / E-11 2ND GRADE	9/1/2016 6:35 AM	Lead	0.00239	EPA 200.8	9/20/2016	HSW	
160907037-012	160901M12 / E-12 3RD GRADE	9/1/2016 6:36 AM	Lead	0.00143	EPA 200.8	9/20/2016	HSW	
160907037-013	160901M13 / E-13 SPED	9/1/2016 6:36 AM	Lead	0.00252	EPA 200.8	9/20/2016	HSW	
160907037-014	160901M14 / E-14 FOUNTAIN OUTSIDE BONEYARD	9/1/2016 6:37 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907037-015	160901M15 / E-15 BONEYARD	9/1/2016 6:38 AM	Lead	0.00305	EPA 200.8	9/20/2016	HSW	
160907037-016	160901M16 / E-16 GRADE 4	9/1/2016 6:39 AM	Lead	0.00180	EPA 200.8	9/20/2016	HSW	
160907037-017	160901M17 / E-17 CLASSROOM ACROSS GRADE 4	9/1/2016 6:39 AM	Lead	0.00246	EPA 200.8	9/20/2016	HSW	
160907037-018	160901M18 / E-18 GRADE 5	9/1/2016 6:40 AM	Lead	0.00142	EPA 200.8	9/20/2016	HSW	
160907037-019	160901M19 / E-19 NEW 6	9/1/2016 6:41 AM	Lead	0.00263	EPA 200.8	9/20/2016	HSW	
160907037-020	160901M20 / E-20 COMPUTER LAB B	9/1/2016 6:42 AM	Lead	0.00215	EPA 200.8	9/20/2016	HSW	
160907037-021	160901M21 / E-21 GRADE 6	9/1/2016 6:42 AM	Lead	0.00132	EPA 200.8	9/20/2016	HSW	
160907037-022	160901M22 / E-22 FOUNTAIN COVERED AREA	9/1/2016 6:43 AM	Lead	0.00209	EPA 200.8	9/20/2016	HSW	
160907037-023	160901M23 / E-23 COVERED AREA BB LEFT	9/1/2016 6:44 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907037-024	160901M24 / E-24 COVERED AREA BB RIGHT	9/1/2016 6:44 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907037-025	160901M25 / E-25 COVERED AREA GB LEFT	9/1/2016 6:45 AM	Lead	0.00138	EPA 200.8	9/20/2016	HSW	
160907037-026	160901M26 / E-26 COVERED AREA GB RIGHT	9/1/2016 6:45 AM	Lead	0.00150	EPA 200.8	9/20/2016	HSW	

Comments: PILOT ROCK ELEMENTARY SCHOOL

Certifications held by Anatek Labs ID: EPA:ID00013, AZ:0701, FL(NELAP):E87893, ID:ID00013; MT: CERT0028; NM: ID00013; NV: ID00013, OR: ID200001-002; WA: C595
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA: C585; MT: Cert0095; FL(NELAP): E871099

LAB FEDERAL ID#: ID00013	
DATE RECEIVED: 9/7/2016	DATE REPORTED BY LAB: 9/22/2016
COMPLIANCE SAMPLE: YES	REPLACEMENT SAMPLE: NO
SAMPLE TYPE:	
PWS #:	PWS NAME: PILOT ROCK SCHOOL DISTRICT
CONTACT NAME: TABLE ROCK ANALYTICAL LAB	CONTACT PHONE:



Anatek Labs, Inc.

1282 Alturas Drive
Moscow, ID 83843
(208) 883-2839
FAX 882-9246
moscow@anateklabs.com

504 E. Sprague Ste. D
Spokane, WA 99202
(509) 838-3999
FAX 838-4433
spokane@anateklabs.com

www.anateklabs.com

Lead Analysis Report

Lab Sample #	Sample Location	Collection Date / Time	Analyte	Result	Method	Analysis Date	Analyst	Qualifier
160907037-027	160901M27 / E-27 GYM GIRLS SIDE	9/1/2016 6:46 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907037-028	160901M28 / E-28	9/1/2016 6:46 AM	Lead	0.00129	EPA 200.8	9/20/2016	HSW	
160907037-029	160901M29 / E-29	9/1/2016 6:50 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	

MCL (Maximum Contaminant Level) for Lead is 0.020 mg/L.

MDL (Method Detection Limit) is 0.001 mg/L for Lead.

ND = Analyte Not Detected

All results in mg/L unless otherwise noted.


This report shall not be reproduced except in full, without the written approval of the laboratory.

The results reported relate only to the samples indicated.

Soil/solid results are reported on a dry-weight basis unless otherwise noted.

TABLE ROCK ANALYTICAL LAB
PILOT ROCK SCHOOL DISTRICT
200 MCGOWAN DR
PILOT ROCK, OR 97868

Authorized Signature


Todd Taruscio, Lab Manager

Comments: PILOT ROCK ELEMENTARY SCHOOL

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Thursday, September 22, 2016

Page 2 of 2



Table Rock Analytical Laboratory
GENERAL
CHAIN OF CUSTODY RECORD

Table Rock Analytical Laboratory
 419 SW 5th Street, Pendleton, Oregon 97801
 541 276 0385 Fax 541 2762041

Pilot Rock SD

Elementary

160907 037 PRSD Last Due 9/19/2016

1st SAMP 9/1/2016 1st RCVD 9/7/2016

PILOT ROCK ELEMENTARY SCHOOL

1 1/4 1/4 1/4 1/4 1/4

Standard
 Rush (pricing and turnaround must be described)

Reporting Address				Analysis Requested										Laboratory Use Only																																																													
Name: <u>Pilot Rock Elementary School</u>				<table border="1"> <tr><td>Lead</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>										Lead																																																												Job Number	<u>160901M</u>
Lead																																																																											
Address: <u>200 McGowan Dr.</u>				Temperature	<u>22.2-22.3</u>																																																																						
City: <u>Pilot Rock</u> State: <u>OR</u> Zip: <u>97868</u>				Comments	Matrix																																																																						
Phone: <u>541-443-2361</u> Fax: <u>541-443-3550</u>																																																																											
Sample ID	Collection Date/Time/By																																																																										
E-1 Kindergarten Classroom	9/1/16 0630	ACO																																																																									
E-2 1st Grade	9/1/16 0630	ACO																																																																									
E-3 water fountain Head Cont	9/1/16 0631	ACO																																																																									
E-4 Head start Classroom	9/1/16 0631	ACO																																																																									
E-5 Fountain Cafeteria	9/1/16 0632	ACO																																																																									
E-6 Kitchen	9/1/16 0633	ACO																																																																									
E-7 fountain outside 2nd	9/1/16 0633	ACO																																																																									
E-8 Staff room	9/1/16 0634	ACO																																																																									
E-9 fountain across staff room	9/1/16 0634	ACO																																																																									

ANATEK LABS RECEIVING LIST

RECEIVED INTACT
 LABELS & CHAINS AGREE
 NO HEADSPACE
 ICE / ICE-PACKS PRESENT
 CUSTODY SEALS PRESENT

TEMP: 22.8 °C
 THERM# IR-1

PRESERVATIVES: _____

NUMBER OF CONTAINERS: 379 SHIPPED VIA: UPS

DATE & TIME: 09/07/16 1:35 INSPECTED BY: [Signature]

Billing Address		Relinquished By	Date	Time	Received By
Company:		<u>[Signature]</u>	<u>9/1/16</u>	<u>1615</u>	<u>[Signature]</u>
Contact:		<u>BLR</u>	<u>9/6/16</u>	<u>1700</u>	<u>[Signature]</u>
Address:		<u>Steve Stanick @ pilotrock.k12.or.us</u>			
City: _____ State: _____ Zip: _____		<u>(541) 443-8291</u>			
Phone: _____ Fax: _____					



Table Rock Analytical Laboratory
GENERAL
CHAIN OF CUSTODY RECORD

Table Rock Analytical Laboratory
419 SW 5th Street, Pendleton, Oregon 97801
541 276 0385 Fax 541 2762041

Pilot Rock SD
Elementary

(2)

Turnaround Time
Standard
Rush (pricing and turnaround
must be described)

Reporting Address			Analysis Requested										Laboratory Use Only				
Name: <u>Pilot Rock Elementary School</u>			Lead													Job Number <u>160901M</u>	
Address: <u>200 McGowan Dr</u>																Temperature _____	
City: <u>Pilot Rock</u> State: <u>OR</u> Zip: <u>97868</u>																	
Phone: <u>541-443-2361</u> Fax: <u>541-443-3550</u>																	
Sample ID	Collection Date/Time/By														Comments	Matrix	
E-10 Empty Classroom	9/1/16 0635	ACD		M	10												
E-11 2nd Grade	9/1/16 0635	ACD		M	11												
E-12 3rd Grade	9/1/16 0636	ACD		M	12												
E-13 SPED	9/1/16 0636	ACD		M	13												
E-14 Fountain outside Boneyard	9/1/16 0637	ACD		M	14												
E-15 Boneyard	9/1/16 0638	ACD		M	15												
E-16 Grade 4	9/1/16 0639	ACD		M	16												
E-17 Classroom across Grade 4	9/1/16 0639	ACD		M	17												
E-18 Grade 5	9/1/16 0640	ACD		M	18												

Billing Address		Relinquished By		Date	Time	Received By
Company:		<u>Jane Smith</u>		<u>9/1/16</u>	<u>1615</u>	<u>BRoad</u>
Contact:		<u>BLR</u>		<u>9/6/16</u>	<u>1700</u>	
Address:						
City:	State:	Zip:				
Phone:	Fax:					



Table Rock Analytical Laboratory
GENERAL
CHAIN OF CUSTODY RECORD

Table Rock Analytical Laboratory
419 SW 5th Street, Pendleton, Oregon 97801
541 276 0385 Fax 541 276 2041

Pilot Rock SD
Elementary

Turnaround Time
Standard
Rush (pricing and turnaround
must be described)

②

Reporting Address				Analysis Requested										Laboratory Use Only			
Name: <u>Pilot Rock Elementary School</u>				Lead											Job Number <u>160901M</u>	Temperature _____	
Address: <u>200 McGowan Dr.</u>															Comments		Matrix
City: <u>Pilot Rock</u> State: <u>OR</u> Zip: <u>97868</u>																	
Phone: <u>541-447-2361</u> Fax: <u>541-447-3550</u>																	
Sample ID	Collection Date/Time/By																
E-19 New 6	9/1/16	0641	ACO														
E-20 Cambier Lab B	9/1/16	0642	ACO														
E-21 Grade 6	9/1/16	0642	ACO														
E-22 Mountain Covered Area	9/1/16	0643	ACO														
E-23 Covered Area 8B Left	9/1/16	0644	ACO														
E-24 Covered Area BB Right	9/1/16	0644	ACO														
E-25 Covered Area 6B Left	9/1/16	0645	ACO														
E-26 Covered Area 6B Right	9/1/16	0645	ACO														
E-27 Gym Girls side	9/1/16	0646	ACO														
E-28	9/1/16	0646	ACO														
E-29	9/1/16	0650	ACO														

Billing Address		Relinquished By		Date	Time	Received By
Company:		<u>Steve Grant</u>		<u>9/1/16</u>	<u>1615</u>	<u>BRoad</u>
Contact:		<u>BR</u>		<u>9/6/16</u>	<u>1700</u>	
Address:						
City: _____ State: _____ Zip: _____						
Phone: _____ Fax: _____						

LAB FEDERAL ID#: ID00013	
DATE RECEIVED: 9/7/2016	DATE REPORTED BY LAB: 9/22/2016
COMPLIANCE SAMPLE: YES	REPLACEMENT SAMPLE: NO
SAMPLE TYPE:	
PWS #:	PWS NAME: PILOT ROCK SCHOOL DISTRICT
CONTACT NAME: TABLE ROCK ANALYTICAL LAB	CONTACT PHONE:



Anatek Labs, Inc.

1282 Alturas Drive
Moscow, ID 83843
(208) 883-2839
FAX 882-9246
moscow@anateklabs.com

504 E. Sprague Ste. D
Spokane, WA 99202
(509) 838-3999
FAX 838-4433
spokane@anateklabs.com

www.anateklabs.com

Lead Analysis Report

Lab Sample #	Sample Location	Collection Date / Time	Analyte	Result	Method	Analysis Date	Analyst	Qualifier
160907038-001	160901M30 / H-1 JR HIGH LOWER FOUNTAIN	9/1/2016 5:35 AM	Lead	ND	EPA 200.8	9/16/2016	HSW	
160907038-002	160901M31 / H-2 HIGH KITCHEN SINK	9/1/2016 5:37 AM	Lead	ND	EPA 200.8	9/16/2016	HSW	
160907038-003	160901M32 / H-3 JR HIGH UPPER FOUNTAIN	9/1/2016 6:11 AM	Lead	ND	EPA 200.8	9/16/2016	HSW	
160907038-004	160901M33 / H-4 FOUNTAIN GYM GIRLS	9/1/2016 6:15 AM	Lead	ND	EPA 200.8	9/16/2016	HSW	
160907038-005	160901M34 / H-5 FOUNTAIN GYM BOYS	9/1/2016 6:16 AM	Lead	ND	EPA 200.8	9/16/2016	HSW	
160907038-006	160901M35 / H-6 FOUNTAIN HEGWOOD	9/1/2016 6:19 AM	Lead	ND	EPA 200.8	9/16/2016	HSW	
160907038-007	160901M36 / H-7 JR FOUNTAIN JOHNSON	9/1/2016 6:20 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	
160907038-008	160901M37 / H-8 SINK TEACHERS ROOM	9/1/2016 6:22 AM	Lead	ND	EPA 200.8	9/20/2016	HSW	

MCL (Maximum Contaminant Level) for Lead is 0.020 mg/L.

MDL (Method Detection Limit) is 0.001 mg/L for Lead.

ND = Analyte Not Detected

All results in mg/L unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

The results reported relate only to the samples indicated.

Soil/solid results are reported on a dry-weight basis unless otherwise noted.

TABLE ROCK ANALYTICAL LAB
PILOT ROCK SCHOOL DISTRICT
200 MCGOWAN DR
PILOT ROCK, OR 97868

Authorized Signature

Todd Taruscio, Lab Manager

Comments: PILOT ROCK HIGH SCHOOL

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585, MT: Cert0095, FL(NELAP): E871099

160907 038 **PRSD** Last Dup 9/19/2016
 1st SAMP 9/1/2016 1st RCVD 9/7/2016
PILOT ROCK HIGH SCHOOL



Table Rock Analytical Laboratory
 GENERAL
 CHAIN OF CUSTODY RECORD

Table Rock Analytical Laboratory
 419 SW 5th Street, Pendleton, Oregon 97801
 541 276 0385 Fax 541 2762041

Pilot Rock SD
 Jr. High / High School

Turnaround Time
 Standard
 Rush (pricing and turnaround must be described)

(4)

Reporting Address		Analysis Requested										Laboratory Use Only																																																	
Name: <u>Pilot Rock High School</u>		<table border="1"> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>																																																										Job Number <u>160901M</u>	
Address: <u>101 N.E. Cherry Street</u>		Temperature _____																																																											
City: <u>Pilot Rock</u> State: <u>Ore</u> Zip: <u>97868</u>																																																													
Phone: _____ Fax: _____																																																													

Sample ID	Collection Date/Time/By	Lead
H-1 Jr High Lower Fountain	9-1 5:35 AM	G.T.
H-1 Jr High Lower Fountain	9-1 5:35 AM	G.T.
H-2 High bitchem Sink	9-1 5:37 AM	G.T.
H-3 Jr High Upper Fountain	9-1 6:11 AM	G.T.
H-4 Fountain Gym Girls	9-1 6:15 AM	G.T.
H-5 Fountain Gym Boys	9-1 6:16 AM	G.T.
H-6 Fountain Highwood	9-1 6:19 AM	G.T.
H-7 Fountain John Sen	9-1 6:20 AM	G.T.
H-8 Sink Teachers Room	9-1 6:22 AM	G.T.

ANATEK LABS RECEIVING LIST

RECEIVED INTACT TEMP: 28 °C
 LABELS & CHAINS AGREE THERM# IR-1
 NO HEADSPACE
 ICE / ICE-PACKS PRESENT
 CUSTODY SEALS PRESENT

PRESERVATIVES: None

NUMBER OF CONTAINERS: 8 SHIPPED VIA: UB
 DATE & TIME: 9/16/16 11:00 INSPECTED BY: [Signature]

Billing Address	Relinquished By	Date	Time	Received By
Company: _____	<u>Steve Samuel</u>	<u>9/1/16</u>	<u>1615</u>	<u>BURead</u>
Contact: _____	<u>BR</u>	<u>9/6/16</u>	<u>1700</u>	
Address: _____				
City: _____ State: _____ Zip: _____				
Phone: _____ Fax: _____				